

Cyclone Series
Thermal Imaging

Thermal Imaging Monocular Cyclone 325

**Technical Specifications** 



ThermTec Technology Co., Ltd. Email: info@thermeyetec.com
Website: https://www.thermeyete

Website: https://www.thermeyetec.com







## Cyclone 325

#### **Key Features**

- 384\*288 thermal resolution, NETD less than 20mK
- Excellent handheld ergonomic design for a perfect operating experience
- Silent button with no noise
- Various colour palettes for customizable use
- Advanced AI algorithm suitable for diverse distance measurements simultaneously
- Incomparably simple UI interface
- Up to 32GB storage capacity
- 1024\*768 resolution with a 0.39-inch OLED display
- Three types of digital zoom available
- Fast boot within 3 seconds
- Replaceable lithium batteries provide up to 10 hours of continuous work
- A variety of imaging modes including forest, target, and outline

#### **Applications**

- Observation
- Night hunting
- Rescue operations
- Hiking & traveling

# Specifications

Model	Cyclone325
	Microbolometer
Resolution	384*288
Pixel Pitch	12μm
NETD	20mK@300k
Spectral range	8-14µm
Frame rate	50HZ
Detection Range	1300m
	Optics
Objective lens	25mm/F1.0
Field of view	10.5° x 7.9°
/ m @100m	18.4m × 13.8m
Magnification	2.4x
Digital Zoom	1x,2x,4x
Eye relief	20mm
Exit pupil	6mm
Diopter	±5D
	Display
Туре	AMOLED
Resolution	1024x768
Display size	0.39 inch
Color palette	6
Image mode	Forest/Target/Outline


	Function
Photo/video playback	Yes
Language	Multiple-languages
Inbuilt Memory	32GB
Audio	Yes
Calibration	Auto/Manual
PIP	Yes
Al Distance Measurement	Yes
Heat Track	Yes
OSD Recording	Yes
	Battery
Internal battery	Replaceable and Rechargeable Li-ion Battery (18650x1)
Battery life	10h
	Interface
Type-C	Supports battery charging, data transfer
Hotspot	Yes, App remote control
	Environment
Working temperature	-20°C—+50°C
Protection Level	IP67
Weight, g	261(w/o battery)
Dimension mm	135*76*54
	Accessories
External Cable	USB cable
Other Accessories	Non-dust cloth and etc.

## **Accessories**









Charger (X1)







Lens cloth (x1)

User manual (x1)

Lithium battery (X2)

## **Dimension**

Unit: mm

